OVE Austrian Electrotechnical Association

Eschenbachgasse 9 | 1010 Wien | Austria

ZVR: 327279890 | www.ove.at

OVE Testing and Certification

Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

ENEC Certification Body registered under ID # 11.



Validity of ENEC Licences can be checked at www.enec.com

LICENCE

to use the European Mark



Licence No.: 251-196 Date of issue: Wien, 2018 10 24 Rev. No.: 03 Wien, 2020 10 16

OVE the Austrian Electrotechnical Association as signatory to the "Agreement on the use of a commonly agreed Mark of Conformity for certain electrical equipment complying with European Standards" hereby grants the right to label the products mentioned hereunder and listed in the Annex with the Mark(s) shown above to the following company

Licenceholder: Zumtobel Lighting GmbH

Schweizer Str. 30 6850 Dornbirn

Austria

Product: Luminaires with limited surface temperatures

Trade Mark: THORN

Series/Type: Aquaforce Pro

Basis for this given right is the conformity of the products with the requirements of the relevant Standard(s) as listed in the Annex and the fulfilment of articles 8 and 9 of the ENEC-Agreement by the manufacturer. This licence refers to the tested specimen and to all products manufactured strictly identical to the submitted one.

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

Österreichischer Verband für Elektrotechnik

Head of Testing and Certification

Digitally signed by W. Martin Email=w.martin@ove.at

Dipl.-Ing. W. Martin

OVE

OVE Testing and Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under www.bmdw.gv.at/akkreditierung.





Date: 2020 10 16 Page 2 of 5

Hersteller **Thorn Lighting Ltd** Manufacturer Durhamgate, Spennymoor, **County Durham DL16 6HL United Kingdom** Fertigungsstätte(n) **Zumtobel Lighting GmbH** Factory location(s) Schweizer Str. 30 6850 Dornbirn Austria Series AQFPRO . LED..., Typenbezeichnung Type reference see page 5 Prüfbericht TR-251-0114-02 ECS Test Report Nationale Bestimmung(en) OVE EN 60598-1:2018-11-01 National Standard(s) ÖVE/ÖNORM EN 60598-2-24:2014-05-01 Europanorm(en) EN 60598-1:2015 + A1:2018 European Standard(s) EN 60598-2-24:2013 Ersatz für Zertifikat 251-196 Rev. 02 dated 2020 09 01 Superseded licence Items modified are marked with an asterisk (*) Anmerkung(en) CTF Stage 2 Remark(s)







Date: 2020 10 16

Page 3 of 5

Nennspannung Rated voltage

220-240 V; 0/50/60 Hz

Anzahl und Leistung der Lampen Rated wattage and number of lamps 2/3 x LEM S40...

Lampentyp(en) Lamp identification LED modules (ILCOS: DSL)

Schutzgrad

Degree of protection

IP66

CI. I

Netzanschluss

Supply connection

Screwless terminals

Befestigungsfläche

Supporting surface

Normally flammable surface

Schutzklasse Class of protection

Beschreibung des Aufbaus Description of construction

Luminaires with limited surface temperature for wall and ceiling mounting. The luminaire has a special drip-edge-

effect. Two different optics, Middle Beam or Wide Beam are available. The LED modules and the ECG are fixed

on the light engine with screws.

Zusatzinformation Additional information Light source classified as RG0 according to

EN 62471:2008.





Date: 2020 10 16

Page 4 of 5

Bauteil Component		Hersteller Manufacturer	Typenbezeichnung Type Reference	Konformitätszeichen Mark(s) of conformity
LED module	A *	Zumtobel	LEM S40	ÖVE
LED control gear	B B B B B B B B B B B B B B B B B B B	Tridonic Tridonic Thorn Thorn Tridonic Tridonic Tridonic Philips Philips Philips Osram Osram Osram	LCA 50W LCA 75W LC 35W LC 54W LC 35W LC 54W LC 54W LC 67W Xitanium 36W Xitanium 60W Xitanium 75W OTi 35 OTi 60 OTi 90	ENEC 11 ENEC 18 ENEC 18 ENEC 18 ENEC 11 ENEC 11 ENEC 11 ENEC 11 ENEC 05 ENEC 05 ENEC 05 VDE VDE VDE VDE
Sensor	A	Tridonic	smartSWITCH HF; 220-240V; 50Hz; Tc 70°C	ENEC 05
Terminal	A	Electro Terminal	SLK 3; ACDC 450 V; 24A; 0,5-2,5 mm²; T110	ENEC 11
Connector	A	Stucchi	3701, 3702; 400V; 16A; T110	IMQ
Wiring	Α	Leoni	Ecosense S05G-U; 300/500 V; 0,5 mm ² ; 110°C	BBJ
	A	Leoni	Ecosense S07G-U; 450/750 V; 1,5 / 2,5 mm²; 110°C	BBJ
Enclosure	С	Zumtobel	PMMA, PC;	Checked within appliance
A The component is replaceable with another one, also certified, with equivalent characteristics. A* The component is replaceable with another one, according to ETF5-OSM-LUM/DSH 2057. B The component is replaceable if authorised by the test house. C Integrated component tested together with the appliance. D Alternative component.				


OVE Testing and Certification





Date: 2020 10 16 Page 5 of 5

Typecode:



Accessories: AQFPRO FIX/CH KIT

AQFPRO MCA KIT

MOUNTING SET AQUAFORCE PRO DIFUSER AQUAFORCE PRO * * **

HLD TW AQFPRO

HOUSING AQUAFORCE PRO*



